

Titanium strong burner TS 65



The Titanium strong burner TS 65 is the lightweights among the propane burners. Made according to the quality standards of GRÜN.

- efficient
- wind rigid
- immune to interference
- rigid
- corrosion-resistant

Ergonomically optimized for antifatigue working without hurting arms.

Technical data:

Max. heat output:	120,0 kW
Total Length:	approx. 800 mm up to approx. 1000 mm
Burner head size Ø:	approx. 65 mm
Weight:	approx. 0,80 kg up to approx. 0,85 kg

Figure	Name	Total Length / Weight	Part No.
	Titanium strong burner TS 65/800	approx. 800 mm / approx. 0,80 kg	0128 0000



	Titanium strong burner TS 65/900	approx. 900 mm / approx. 0,84 kg	0128 1200
--	----------------------------------	----------------------------------	-----------



	Titanium strong burner TS 65/1000	approx. 1000 mm / approx. 0,85 kg	0128 1300
--	-----------------------------------	-----------------------------------	-----------



Also in the following sets available:

Figure	Name	Part No.
--------	------	----------



	Titanium strong burner TS 65 with 5 m high pressure hose 6,3 x 5 mm and medium pressure regulator 4 bars including hose failure valve	0128 0500
--	---	-----------



	Titanium strong burner TS 65 with 10 m high pressure hose 6,3 x 5 mm and medium pressure regulator 4 bars including hose failure valve	0128 1000
--	--	-----------

The new handgrip

With solid brass workmanship to withstand the workload.
The controls give graduated adjustable working flame.

