

SAFEX-ESE MULTI Concrete



Stainless steel anchorage point for anchor bolting on solid concrete.

Standards / approvals for the anchorage device:

- EN 795:2012 Typ A for 1 person
- CEN/TS 16415:2013 for 4 persons

“SAFEX-ESE MULTI” anchorage system:

Article number: 60300000
Construction height: 300 mm to 1000 mm (+45 mm thread M16)
Material: Stainless steel A2
Rod: Ø 16 mm
Base plate: 210 mm x 250 mm

Roof structure / substrate material data:

Substrate	Dimensions	
Concrete (min. C20/25 cracked and uncracked)	mind. 100 mm	DIN EN 206-1

The substrate must be part of the static base construction. In case of doubt, this should be checked by a structural engineer.

SAFEX-ESE MULTI has been tested and certified according to EN 795:2012 Type A. Both static and dynamic tests were conducted on the relevant original substrate.

SAFEX-ESE MULTI is suitable as a substructure for fixing the intermediate rope holders of the horizontal

GRÜN GmbH Spezialmaschinenfabrik
Siegener Straße 81 - 83 • 57234 Wilnsdorf-Niederdielfen
Tel.: +49 (0) 271 - 39 88-0 • Fax: +49 (0) 271 - 39 88-159

www.gruen-gmbh.de • info@gruen-gmbh.de

anchorage system Greenline ® (rope safety system) according to DIN EN 795 Type C.

SAFEX-ESE MULTI is **not** suitable for rope-assisted work (EN 795).